INTRODUCTION TO BASIC-256

Chapter-7

A. Tick (✓) the correct option.

1. Which key is used to run a program in BASIC-256?

   a. Enter ☐ b. F5 ☐ c. F10 ☐

2. A variable that contains a whole number is called ....

   a. String ☐ b. Integer ☐ c. Real Number ☐

3. Which operator should be used to multiply two values in BASIC-256?

   a. ** ☐ b. * ☐ c. x ☐

4. Which of the following is an operator in BASIC-256?

   a. $ ☐ b. ! ☐ c. ^ ☐

B. Fill in the blanks using the hints given below:

Hints: Relational, BASIC-256, REM, PRINT

1. .... enables you to do text-based programming using simple English like commands.

2. The .... statement is used to display output.

3. The .... statement is used to create comments.

4. The .... operators are used to compare the values of the two operands and returns Boolean value true or false accordingly.

C. Write 'T' for true and 'F' for false.

1. BASIC stands for Beginners All-purpose Symbolic Instruction Code. ....

2. Logical operators are used to perform arithmetic operations between two operands. ....

3. Statements are the reserved words which cannot be used as a variable. ....

4. INPUT statement is used to take values from the user. ....

Grade: ☆ ☆ ☆ ☆ ☆   Teacher's Signature: ....