

Worksheet

1

Name:

Roll No: Class: Section:

Date:

VALUES AND TYPES

Chapter-3

1. Tick (✓) the correct option.

(a) ASCII stands for.

- (i) American standard code for Indian Institute
- (ii) American standard code for Information Interchange
- (iii) Asian standard code for Information Interchange
- (iv) American standard code for Information Institute

(b) Which of the following is the valid Java identifier.

- (i) int roll no;
- (ii) int roll_no
- (iii) int roll_no;
- (iv) int rollno

(c) Initializing a variable during the execution of a program is termed as.

- (i) Static initialization
- (ii) Dynamic initialization
- (iii) Both (i) and (ii)
- (iv) None of these

(d) What are the default values of the primitive data type "Float".

- (i) 0
- (ii) 0.0
- (iii) 0.0f
- (iv) 0.0d

(e) Different data types are.

- (i) Primitive
- (ii) Non-primitive
- (iii) Both (i) and (ii)
- (iv) None of these

(f) Which of the following is the new line character.

- (i) \t
- (ii) \f
- (iii) \'
- (iv) \n

(g) How many ways are there to input data in Java programming.

- (i) 1
- (ii) 2
- (iii) 3
- (iv) 4

2. Define the following.

- (a) Literals
- (b) Character set
- (c) Token
- (d) Primitive data types