

Worksheet

2

Name:

Roll No: Class: Section:

Date:

FORMULAS AND FUNCTIONS IN EXCEL 2016

Chapter-5

A. Tick (✓) the correct option.

- Which one of the following cell references can be included in relative reference?

a. A3	<input type="checkbox"/>	b. \$A\$4	<input type="checkbox"/>
c. A\$1	<input type="checkbox"/>	d. \$D6	<input type="checkbox"/>
- Which of the following functions is used to calculate the average of a range of values?

a. Average	<input type="checkbox"/>	b. SUM	<input type="checkbox"/>
c. AVG	<input type="checkbox"/>	d. None of these	<input type="checkbox"/>
- The cell address in the formula is known as

a. Range	<input type="checkbox"/>	b. Cell reference	<input type="checkbox"/>
c. Mixed reference	<input type="checkbox"/>	d. None of these	<input type="checkbox"/>
- A group of selected cells is called

a. Selection	<input type="checkbox"/>	b. Combination	<input type="checkbox"/>
c. Cell range	<input type="checkbox"/>	d. None of these	<input type="checkbox"/>
- The function returns the square root of the given number.

a. MOD()	<input type="checkbox"/>	b. INT()	<input type="checkbox"/>
c. POWER()	<input type="checkbox"/>	d. SQRT()	<input type="checkbox"/>

B. Fill in the blanks using the hints given below.

Hints: equal, square root, Functions, MIN(), dollar(\$)

- are predefined formulas in Excel.
- Formulas in Excel begin with the sign.
- The SQRT function returns the of the given number.
- In Mixed Referencing, you can lock either a column or a row by preceding it with a symbol.
- The function returns the smallest value.