Class **6** 

# **ANSWER KEY**

**Trackpad** Ver 2.0 (102)

## 1. Fundamentals of Computer



- 1. A microprocessor is an integrated chip on which the entire CPU (Control Unit and ALU) is fabricated.
- 2. Digital Camera and Microwave.



#### **ASSESS YOURSELF**



- 1. a. (i)
- b. (iv)
- c. (iv)
- d. (i)

e. (iii)

- 2. a. Plotter
- b. Computer
- c. Control Unit
- d. Optical Character Reader

- e. Smart Watch
- 3. a. (F)
- b. (T)
- c. (T)
- d. (T)
- e. (F)
- 4. a. **Magnetic Ink Character Reader** is an input device that reads special characters that are printed using a special magnetic ink on cheques like Cheque number, bank code and branch code. MICRs scan this information and are thus capable of sorting cheques.
  - b. **Barcode reader** is an electronic device, used for reading printed barcodes. Barcode readers consist of a light source, lens and light sensor that help them scan these codes.
  - c. Fourth Generation computers used components like the microprocessor, where micro refers to the physical size of the component. A microprocessor is an integrated chip on which the entire CPU (Control Unit and ALU) is fabricated.
  - d. A handheld computer is a type of computer that can easily be stored in our pocket and used by holding it in our hands. Most of handheld computers have a touchscreen in which we input data by using our fingers. Smartphone and Smartwatch are two examples of handheld computer.

- e. (i) A projector projects or displays data of computer screen on a large screen or surface for audience.
  - (ii) Automated Teller Machine (ATM) is another example of the embedded computer that allows us to withdraw money from our bank account from anywhere and anytime.
  - (iii) The microwave that we use at our home is also an example of the embedded computer that allows us to warm and cook food.
  - (iv) A laptop is a portable computer which you can keep on your lap. You can carry a laptop anywhere, therefore, you are not restricted to one place while working on a desktop computer.

5.

Supercomputer	Minicomputer
a. A supercomputer consists of a large number of processors and also occupies a huge amount of space.	a. Minicomputers are more powerful than microcomputers. They are bigger in size and faster in processing speed.
b. They are used in the fields of creating animated graphics and conducting nuclear research.	b. They can support several users working at the same time on the same machine which means they support a multi-user environment.
c. For example. PARAM 9000	c. For example HCL Magnum

- 6. a. Bar Code Reader
  - b. Laser printer
- 7. a. I

b. I

- c. O
- d. O


e. I

f. O




### {CODING ZONE}

b.



C.



### 2. Formulas and Functions in Excel 2016



1. MAX(range)

2. Colon (:), Single space and Comma (,).





- 1. a. (ii)
- b. (i)
- c. (i)
- d. (i)

e. (iv)

- 2. a. Label
- b. equal to
- c. cell reference
- d. function
- e. LEN
- a. A formula is an expression that operates on the value or a range of cells and generates a
  result.
  - b. The results of the formula in a numerical formula, are calculated according to an order is known as the operator precedence.
  - c. The syntax of this function is CONCATENATE (text1, text2). It is used to join together two or more different text strings
  - d. A group of selected cells is called a cell range. The selected cells should be in continuation to form a range. Cell range is used to perform a calculation on multiple cells.

To select a cell range using a mouse, click in the first cell from which you want to start the range, then press and hold the left mouse button and drag the mouse diagonally to select the desired range. Now release the mouse button.

e.

Error	Meaning	Tip to Correct
#NAME?	The function name is not recognised by Excel.	Check and correct the function name.
#REF!	The cell reference is not valid.	Check and correct the cell ranges.
#NUM!	The formula or function contains invalid numeric values.	Ensure there are no special symbols such as \$ or % being used with the number.

- 4. a. Max(): It returns the largest value in the given range.
  - b. Today(): It returns the current date.
  - c. Len(): It returns the length of the text string.
- 5.

Relative Cell Referencing	Absolute Cell Referencing
i. It refers to the cell that is above or below and left or right to a number of rows or columns.	i. It refers to the reference in a formula remains the same even if we copy and paste the formula to a new location.
ii. For example, a formula (=A2*B2) placed in cell C2 multiplies the values of cells A2 and B2. As we press the Enter key, the result of the multiplication of values in A2 and B2 is displayed in cell C2.	ii. For example, if we want the value of A1 to be constant, when multiplying it with cell of column B, absolute referencing will be used.

- a. Divide by Zero Error. She should not divide the number by 0. 6.
  - b. She should use SUM function.



- a. 50 1.
- a. =CONCATENATE("Good ", "Morning") 2.

- b. 3
- b. = MIN(10,6,-2,0)

### **Charts in Excel 2016**



Bar Chart

### **ASSESS YOURSELF**



- 1. a. (ii)
- b. (iii)
- c. (i)
- d. (iii)
- e. (ii)

- 2. a. Bar
- b. Pie
- c. Column
- d. Area
- e. Scatter





- 4. a. Data can be presented in an attractive way to attract the attention of readers.
  - b. Legend: It is a key which displays the symbols or colours used in the chart.

**Chart Area:** It includes all objects and elements of a chart.

- c. A pie chart is shaped like a circle divided into slices, each slice showing the relative size of each value. The pie chart only displays one data series in the form of comparative charts. It is useful when you want to emphasise on a significant element.
- d. To change the background of the chart, follow the given steps:
  - 1 Select the chart.
  - 2 Click on the **Format** tab.
  - 3 Click on the **Format Selection** command.
  - 4 Click on the **Fill section**.
  - 5 Click on the **Picture** or **texture fill** option button.
- e. A line chart is a type of graph that displays continuous data at regular intervals. It is generally used to highlight the changes that take place in a value through a specified period of time. It is also known as a frequency polygon.
- f. To change the chart type, follow the given steps:
  - 1 Select the chart and click on **Design** tab.
  - 2 Click on the Change Chart Type command.
  - 3 Click on desired option (here we choose **Line** option).
  - 4 Click on desired option from the right panel.
  - 5 Select the type of chart and click on OK button.
- a. Column chart or bar chart 5.
- b. Pie chart
- c. Area chart

- 6. a. 60
- b. October and November
- c. October





27 1.

2. This question was printed incorrectly in the book, please correct it in your textbook)

Question: Write the missing number.







Ans. **15** 

(C) 3.

### Periodic Assessment-1

(Based on chapters 1 to 3)

- 1. a. Smart Watch is used as a computing device which you can wear on your wrist.
  - b. Barcode Reader is used for reading printed barcodes.
- 2. a. 4

- b. 15
- c. 8

d. 3

- 3. a. January
- b. October
- 4. a. Chart
- b. Scatter Plot Chart c. Today()
- d. ATM

e. Supercomputer

# 4. Introduction to TUPI 2D



- 1. Menu Bar
- 2. Pen Properties



### **ASSESS YOURSELF**





- 1. a. (ii)
- b. (i)
- c. (This question was printed incorrectly in the book, please correct it in your textbook)
  - Question: The export and import buttons are located on which component of Tupi 2D?
  - (i) Menu bar
- (ii) Workspace
- (iii) Exposure sheet (iv) Left sidebar

- Ans. (i)
- d. (ii)
- 2. a. (F)
- b. (T)
- c. (F)
- d. (T)

- 3. a. Player
- b. Library
- c. Toolbox
- d. Exposure sheet
- 4. a. Animation is a way through which you can show characters and objects live.
  - b. Animation tab and Player tab.
  - c. Menu Bar, Modules Tab and Workspace



- d. To start TUPI 2D, follow these steps:
  - 1 Type TupiTube in the search box.
  - 2 Click on TupiTube Desk.
- e. Features of Tupi 2D software are:
  - It is an open source and free software.
  - This software allows us to use vector graphics like, ellipses, lines, rectangles and polygons.
  - It also allows us to draw paths with the help of pen or pencil tool.
  - Bitmap images can be imported on the workspace and used as either static backgrounds or animated objects.
- 5. a. She should choose Close Project under File menu.
  - b. He can use any one formats from OggTheora, AVI, MPEG, SWF to export his video.
- 6. a. Welcome screen
  - b. Expanded Panel
  - c. Color Palette



- 1. a. Gill
- b. Sky
- 2. a. G100
- b. D, W
- 3. 9 trees

### 5. Using Tools in TUPI 2D



- 1. Fill
- Node Selection



### **ASSESS YOURSELF**





1. (This question was printed incorrectly in the book, please correct it in your textbook)

 Question:
 \_\_\_\_\_\_\_ tool is used by the users to draw in different colour.

 (i) Ink
 (ii) Polyline
 (iii) Fill tool
 (iv) Rectangle tool

 Ans:
 (i)

 c.
 (ii)
 d.
 (iv)

b. (i) c. (ii) d. (iv)
2. a. (F) b. (F) c. (T) d. (T)

- 3. a. Cap option is used to choose the line patterns.
  - b. (This question was printed incorrectly in the book, please correct it in your textbook)

**Question:** Write the steps to add an object to the Library panel.

Ans: Steps to add an object to the Library panel:

- 1 Click on the Library button.
- 2 Click on + symbol to add an object in into the library. Import image dailog box will appear.
- 3 Select the file and click Open button.
- c. The Add button is used to add the objects in the library.
- d. Object Selection tool helps the user to modify, flip or group objects as per their requirements whereas Node Selection tool helps to reorder the nodes which were created while drawing an object.
- e. (This question was printed incorrectly in the book, please correct it in your textbook)

**Question:** Write the steps to use Node Selection tool in TUPI 2D.

**Ans:** To use Node Selection tool, follow these steps:

- 1 Draw a straight-line and click on Node Selection tool.
- 2 Click on the line and that line will show two points, drag the mouse from any one point to change the shape, length and direction of the line.
- f. Type of files that can be added to the library are:
  - (i) Image File
  - (ii) Svg File
  - (iii) Native Object
  - (iv) Image Sequence
  - (v) Sound File

4. a. (This question was printed incorrectly in the book, please correct it in your textbook)


**Question:** Ritu is working in Tupi 2D software and she wants to convert the straight lines into curved lines. Which tool she can use for that?

**Ans:** Ritu can use the Node Selection tool in Tupi 2D software to convert the straight lines into curved lines

- b. Sangeeta can use the "Brush" tool in Tupi 2D software to draw a circle by creating a perfect round shape.
- c. (This question was printed incorrectly in the book, please correct it in your textbook)

**Question:** Ajay wants to select the objects which are created in different layers or frames. Which tool he can use to select that portion?

**Ans:** Ajay can use the Object Selection tool to select the objects which are created in different layers or frames.






- 1. 333D
- 2. 17

### Periodic Assessment-2

(Based on chapters 4 & 5)

1.



2. (This question was printed incorrectly in the book, please correct it in your textbook)

**Question:** Vedant wants to fill the different color in the objects they have drawn in Tupi 2D. But he is not sure about the steps. Help him out by putting the correct number in front of the steps given below.

Ans:

4 3

1

2

- **3**. a. This tool allows users to fill the different color in the objects.
  - b. This tool is used to draw free hand drawings.
  - c. This panel allows you to handle various scenes of your project.
  - d. This panel contains all the settings related to the pen tool.

### Test Sheet-1

(Based on chapters 1 to 5)

1.	a. (iii)	b. (iv)	c. (iii)	d. (ii)

e. (This question was printed incorrectly in the book, please correct it in your textbook)

Questions: The export and import buttons are located on which component of Tupi 2D?

(i) Menu bar

(ii) Workspace

(iii) Exposure sheet (iv) Left sidebar

Ans: (i)

f. (ii)

2. a. Control unit

b. Optical Character Reader

c. Function

d. LEN()

e. Equals to

f. Bar

g. Bar

a. (F) e. (T)

3.

b. (T) f. (T) c. (T)

d. (T)

4. a. **Barcode reader** or **barcode scanner** is an electronic device, used for reading printed barcodes.

b. The results of the formula in a numerical formula, are calculated according to an order is known as the operator precedence.

c. A formula is an expression that operates on the value or a range of cells and generates a result.

d. (Any 2)

**Legend:** It is a key which displays the symbols or colours used in the chart.

Chart Area: It includes all objects and elements of a chart.

- e. Cap option allows to change the brush stroke styles.
- f. We can select an object in rectangular form by using Object Selection tool. To use Object Selection tool, follow these steps:
  - 1 Click on Object selection tool.
  - 2 Click on the object to select it.
  - 3 Click on the object with the left mouse button. This action initiates the selection process.
  - 4 Now, drag the cursor to create a rectangular shape around the object.
  - **5** The rectangular shape should encompass the entire object you wish to select.
  - 6 Release the mouse button to complete the selection.
- 5. a. A handheld computer is a type of computer that can easily be stored in our pocket and used by holding it in our hands. Most of handheld computers have a touchscreen in which we input data by using our fingers. Smartphone and Smartwatch are two examples of handheld computer.

- b. A group of selected cells is called a cell range. The selected cells should be in continuation to form a range. Cell range is used to perform a calculation on multiple cells.
  - To select a cell range using a mouse, click in the first cell from which you want to start the range, then press and hold the left mouse button and drag the mouse diagonally to select the desired range. Now release the mouse button.
- c. To save an Animate file, follow the given steps:
  - 1 Click on the File menu.
  - 2 Click on the Save option.
  - 3 Choose the location where you wish to save the file.
  - 4 In the File name: box, type the file name.
  - 6 Click on Save button.
- d. To change the background of the chart, follow the given steps:
  - 1 Select the chart.
  - 2 Click on the Format tab.
  - 3 Click on the Format Selection command.
  - 4 Click on the Fill section.
  - **6** Click on the Picture or texture fill option button.
- e. To change the chart type, follow the given steps:
  - Select the chart and click on Design tab.
  - 2 Click on the Change Chart Type command.
  - 3 Click on desired option (here we choose Line option). The chart will change to Line Chart.
- f. There are many important features of Tupi 2D software, some of them are as follows:
  - 1 It is an open source and free software.
  - 2 This software allows us to use vector graphics like, ellipses, lines, rectangles and polygons.
  - 3 It also allows us to draw paths with the help of pen or pencil tool.
  - 4 Bitmap images can be imported on the workspace and used as either static backgrounds or animated objects.

### 6. Learn HTML5 and CSS3



Empty tags are self-contained. They have only an opening tag. For example: <BR>.





### **ASSESS YOURSELF**



- 1. a. (ii)
- b. (i)
- c. (iii)
- d. (i)

e. (ii)

- 2. a. HTML
- b. Hypertext
- c. External
- d. Comments
- e. <BODY>

- 3. a. Notepad
- b. <P>
- c. Tim Berners Lee d. Cascading Style Sheets
- 4. a. Markup language is a computer language that uses specific codes for formatting the layout and style of a text file. It is human-readable, which means that markup files use the standard English language rather than the programming syntax.
  - b. HTML is not a case sensitive language
  - c. An inline style is used to apply a unique style for a single element. Inline styles are added directly to an HTML tag by using the style attribute with the tag. Syntax to use the style attribute with a tag:
    - <TAGNAME STYLE = "PROPERTY:VALUE;">
  - d. Cascading Style Sheets or CSS are used to define styles for webpages.

An example of the use of CSS in HTML documents:

- <TAGNAME STYLE = "PROPERTY1:VALUE; PROPERTY2:VALUE; PROPERTY3:VALUE;">
- e. The <HR> tag is used to divide the webpage into different sections by drawing a horizontal line in the webpage. The thickness of the horizontal line is specified through the Size attribute and the length is specified through the Width attribute in pixels or as a percentage..

#### For Example:

```
<!DOCTYPE HTML>
<HTML>
<HEAD>
<TITLE> HR Tag </Title>
</HEAD>
<BODY>
This is the first paragraph of the tag. HTML is the standard markup
language for Web pages. 
<hr Size="10" width="80%" >
This is the second paragraph of the tag. HTML is the standard markup
language for Web pages.
<hr Size="10" width="80%" color="grey">
<hr Size="10" width="80%" color="Red">
```

- </BODY>
- </HTML>
- 5. a. Comments
  - b. Inline CSS
  - c. He can use tag. The attribute of tag to define some extra properties of this tag is align.



- a. <HTML> is missing.
- b. </HTML> is missing.

# 7. Formatting a Webpage



text-align



### **ASSESS YOURSELF**





1. a. (i)

- b. (iii)
- c. (ii)
- d. (This question was printed incorrectly in the book, please correct it in your textbook)

**Question:** What can be changed using the font properties?

- (i) Font Size
- (ii) Font family
- (iii) Font Style
- (iv) All of these

Ans: iv

- e. (ii)
- f. (i)
- 2. a. (F)
- b. (T)
- c. (T)
- d. (T)
- e. (F)
- 3. a. Cascading Style Sheets (CSS) is a convenient method of styling the elements of a webpage. It controls various elements like the colour, font, text size, etc. within a single page or the entire website. CSS can also be used to change the look of any webpage elements such as paragraphs, lists, backgrounds, etc.
  - b. Text-indent is the option which is used for indentation in HTML5.

- c. It is used for specifying the repetition of an image on the webpage.
- d. The margin property is used to set margins for any webpage element. The four sides used with the margin property are: left, right, top and bottom. The value of sides can be measured in pixels (for example: 20px, 30px, etc.) or as a percentage of the window.
- e. Every web page on a website can be linked to a single style sheet, hence, any change made to the style sheet formatting affects every HTML document linked to the sheet. We can use a style sheet as a template by storing all the information in one place and easily change the appearance of our site in one go, thus saving a lot of time in case your site has numerous pages.
- Background-color: It contains the name of the colour. It specifies the background colour f. i. to be used on the webpage.
  - **Text transform:** It specifies the transformation of text into uppercase, lowercase or title case.
- a. Margin property
  - b. By changing the CSS properties of the elements.



{EN@Z BNIG@D}

1

### **Internet Services**



Google Meet and Zoom



### **ASSESS YOURSELF**



- 1. a. (iv)
- b. (iii)
- c. (i)

d. (ii)

2.

a. Instant Messaging Banking

- b. Google Drive
- c. Blogging
- d. Internet

- 3. a. Google Meet
- b. Flipkart
- c. iTunes
- d. Facebook Messenger

- 4. a. Zoom is used as a video conference application which is basically live meeting held between two or more geographically separated people. Each participant requires a video camera, a microphone, speakers and a high-speed Internet connection to transmit audio and video data.
  - b. Instant messaging allows us to exchange messages (text, picture, etc.) between two or more people at different locations connected to the Internet. It allows us to create a group that may consist of friends, family or people at work, with whom we can chat privately.
  - c. Online transactions can be made without going to the bank and at any time of the day.
  - d. The following points must be kept in mind while using the Internet services to stay safe and secure:
    - Never share your personal information with anyone.
    - Always set a strong password as it is difficult to guess thereby securing your accounts.
    - Avoid using public Wi-Fi while accessing your accounts.
    - Avoid opening an e-mail that is received from an unknown person or source.
  - e. A **podcast** is like an online on-demand radio show. It can be considered as a medium through which recorded audio information is distributed over the Internet, unlike a radio show where the show is broadcasted live. We can listen to these audio files whenever we want. You can listen to podcasts directly from the websites they are posted on or can also subscribe to them using software like iPodder and iTunes.
- 5. a. File sharing service of Internet using Google drive or dropbox
  - b. E-commerce



- 1. 48
- 2. ABCDEF

#### Periodic Assessment-3

(Based on chapters 6 to 8)

- 1. a. Color b. background-color c. text-align
  - d. Hyperlink e. <Title>
- 2. HTML Code
- 3. a. **Video Conference:** Video conference is a live meeting held between two or more geographically separated people. Each participant requires a video camera, a microphone, speakers and a high-speed Internet connection to transmit audio and video data.



- b. **Google Drive:** Google Drive is a cloud storage service developed by Google. It provides up to 15 GB free safe storage space. We can store data online so that it can be accessed from anywhere. It also provides tools for sharing with other users easily over the Internet.
- c. **Instant Messaging:** Instant messaging allows us to exchange messages (text, picture, etc.) between two or more people at different locations connected to the Internet. It allows us to create a group that may consist of friends, family or people at work, with whom we can chat privately.

# 9. Algorithm, Flowchart and Mind Maps



Low-level language



#### **ASSESS YOURSELF**



1. a. (i)

- b. (iii)
- c. (i)
- d. (i)

- 2. a. (F)
- b. (F)
- c. (F)
- d. (F)
- e. (F)
- 3. a. A flowchart is the graphical representation of a process and the logic (which is also called an algorithm) used in it. Flowcharts are used in analysing, designing, documenting or managing a process or program in various fields.
  - b. Definiteness: All instructions given should be clear and easy to understand.
     Finiteness: It should include a finite number of instructions for completing a task.
     (Any 2)
  - c. **High-level language** is considered to be closer to human beings. It is machine independent. However, they need to be translated into binary or machine language. Some examples are PASCAL, FORTRAN, etc.
  - d. An **interpreter** reads one line of instruction at a time and translates it into machine language.
     A **compiler** reads an entire set of instructions written in a high-level language and then translates them into machine language.
  - e. Any three symbols of flow chart are:

Symbol	Description		
	Input/Output: It represents reading input or writing output.		
	<b>Processing:</b> It indicates the processing of the input provided.		
	<b>Decision:</b> If there is a choice to be made between two options, this symbol is used. It has two flow lines outwards, representing Yes or No and True or False.		

4. a. Loop

b. Algorithm



Following is an algorithm to accept the age of a person and check whether he/she is eligible to vote or not. A person can only vote if he/she is 18 years old or more. Number the steps of the algorithm in the correct order.

- 2 Accept the age of the person. 5 Stop.
- 3 If age is greater than or equal to 18, then display, 'You are eligible to vote'.
- 1 Start.
- 4 If age is less than 18, then display, 'You are not eligible to vote'.

# 10. Introduction to Python



- 1. **(T)**
- 2. **(F)**



### **ASSESS YOURSELF**



- 1. a. (iv)
- b. (i)
- c. (ii)
- d. (iv)
- e. (ii)

- 2. a. data type
- b. string
- c. input()
- d. Guido van Rossum

- e. Interactive Mode
- 3. a. **Python** is a high level object-oriented programming language. It is a general purpose language with interactive features.
  - b. **Comments** in Python can be used to explain parts of the code. It can also be used to hide the code as well. Python does not execute comments.
  - c. A **data type** is used to define the type of value a variable can contain. For example, a person's name must be stored as a string value whereas the person's age must be stored as an integer.
  - d. **Operators** are the special symbols which are used to perform computations. The values which the operators use to get the output are called **operands**.
  - e. (Any 2)

**Open source:** Python is an open-source language and can be easily downloaded from the Internet for free.

**Portable:** Programs written in Python can run on almost every known platform such as Windows, Linux and Macintosh.

- f. To open Python IDLE Shell, follow the given steps:
  - 1 Type python in search box.
  - 2 Click on IDLE (Python 3.9 64-bit) option.

#### Components

Menu bar: It has various menus such as File, Edit, Shell.

**Command Prompt:** It allows the user to enter commands directly into Python and get an output instantly by pressing the Enter key.

**Control buttons:** These buttons are used to resize and close the window.

g. A Variable is the name of memory location that is used to store data values which can be accessed or changed later. The names given to the variables are known as identifiers.

In Python, variables are declared and initialized at the same time in the following way:

$$a = 10$$

$$b = 20$$

On the output screen, a = 10 and b = 20 will be printed.

- h. To run a Python program, follow the given steps:
  - 1 Click on the run menu.
  - 2 Click on the Run Module option.
- 4.

i. It is also known as IDLE Shell Window.	Script Mode  i. It is also known as Editor's Window.
ii. It is an interactive window where we can	ii. It does not allow you to save our commands
type a Python code and view the output in the same window.	written on the command prompt, it gives output immediately after pressing the Enter key.

b.

Input() Function	Print() Function
i. We use input() function to take the user's input while a program executes.	i. We use the print() function to display the result on the screen.
<ul><li>ii. The general syntax of the <b>input()</b> function is as follows:</li><li>Variable_name = input(<message be="" displayed="" to="">)</message></li></ul>	ii. The general syntax of the print() function is as follows: type print("message to be displayed")

- 5. a. Script mode(Editor's window)
  - b. Press F5 key or goto Run → Run Module
- 6. a. 461
- b. -3
- c. 16122
- d. 113
- e. 2256



# {C@DING Z@NE}

- a. 38
- b. Son
- 19 C.

# 11. Intelligence and AI Approaches



People who possess good understanding of musical rhythm and good at recognising the musical patterns and tones easily.



### **ASSESS YOURSELF**





- 1. a. (iii)
- b. (ii)
- c. (i)
- d. (ii)

- 2. a. (F)
- b. (F)
- c. (T)
- d. (T)
- 3. a. Bodily-Kinesthetic Intelligence is being good at dancing and sports along with love creating things with their hands, tends to remember by doing, rather than hearing and seeing, and excellent hand-eye and physical coordination Flexible in different body movements and performing actions.
  - b. A rule-based system uses rules as knowledge representation. These rules are coded in the system in the form of if-then-else statements which help the computer in taking decisions. The idea behind a rule-based system is to use the knowledge of a human expert in a specialised domain and embody it within the computer system.
  - c. Intelligence refers to the ability to think, to learn from previous experience, to solve complex problems and to adapt new things and environment.

#### **Types of Intelligence:**

- Virtual-Spatial Intelligence
- Verbal-Linguistics Intelligence
- Logical-Mathematical Intelligence
- Bodily-Kinesthetics Intelligence
- Musical Intelligence
- Interpersonal Intelligence
- Existential Intelligence
- Intrapersonal Intelligence
- Naturalistic Intelligence

d. 82

e. Plant Visual-Spatial Intelligence.

4.


Interpersonal Intelligence	Intrapersonal Intelligence
i. Good at communicating ideas and thoughts.	i. Can recognise their strengths and weaknesses.
ii. Good at non-verbal communication and resolving conflict in groups.	ii. Aware of their own emotional state and feelings and know how they can motivate themselves.
iii. Good at maintaining positive relationships with others,	iii. Enjoy analysing theories and ideas.


- 5. a. Naturalistic Intelligence
- b. Interpersonal Intelligence



### {CODING ZONE}

t/





### Periodic Assessment-4

(Based on chapters 9 to 11)

- 1. a. Input Box b. Processing box c. Output box
- 2. name = "Lucky"
   age = 10

address = "B-65 Gandhi Nagar, Delhi"

print("My name is", name)

print("I am", age, "years old")

print("I live in", address)

#### Output

My name is Lucky



- 3. a. Bodily-Kinesthetic Intelligence
- b. Logical-Mathematical Intelligence

#### Test Sheet-2

(Based on chapters 6 to 11)

1.	a. (iii)	b. (i)	c. (i)	d. (i)	e. (iii)
	f. (i)	g. (ii)	h. (i)		
2.	a. Algorithm	b. Assembler	c. External	d. Identifiers	
	e. Script Mode	f. Internet Banking			
3.	a. (F)	b. (F)	c. (T)	d. (T)	e. T

- 4. a. A flowchart is the graphical representation of a process and the logic (which is also called an algorithm) used in it.
  - b. Markup language is a computer language that uses specific codes for formatting the layout and style of a text file.
  - c. **Python** is a high level object-oriented programming language. It is a general purpose language with interactive features.
  - d. Zoom offers the video conferencing option which is a live meeting held between two or more geographically separated people.
  - e. People who possess the qualities like being good at dancing and excellent hand-eye and physical coordination.
- a. An **interpreter** reads one line of instruction at a time and translates it into machine language.
   Any error in the instruction is reported immediately and the programmer can correct it accordingly. It is slower than the compiler.
  - b. The <HR> tag is used to divide the webpage into different sections by drawing a horizontal line in the webpage. The thickness of the horizontal line is specified through the **Size** attribute and the length is specified through the **Width** attribute in pixels or as a percentage. The **Color** attribute is used to set the colour of the rule. The **Noshade** attribute makes the line appear flat grey, giving a 2D effect to the rule.
  - c. A **Variable** is the name of memory location that is used to store data values which can be accessed or changed later. The names given to the variables are known as **identifiers**. In Python, we do not need to specify the type of variable because Python is a dynamically language and it also identifies the variable type automatically.

In Python, variables are declared and initialized at the same time in the following way:

- a = 10
- b = 20

```
print ("a=", a)
print ("b=", b)
```

On the output screen, a = 10 and b = 20 will be printed.

- d. To open Python IDLE Shell, follow the given steps:
  - 1 Type python in search box.
  - 2 Click on IDLE (Python 3.9 64-bit) option.

#### **Components**

Menu bar: It has various menus such as File, Edit, Shell.

**Command Prompt:** It allows the user to enter commands directly into Python and get an output instantly by pressing the Enter key.

**Control buttons:** These buttons are used to resize and close the window.

- e. To upload a file/folder on Google Drive, follow the given steps:
  - 1 Click on the **New** option.
  - 2 Click on Folder and select File upload or Folder upload option.
  - 3 Navigate the folder and select the desired files or folders.
  - 4 Click on **Open** button.
- f. Plant. Visual-Spatial Intelligence